



**Food supplement ZINC based with
CALCIUM and MAGNESIUM, from
alkalizing minerals**



**Physiological pH
rebalancing**

BALANCED pH

OPTIMAL FUNCTIONING
OF CELLULAR METABOLIC PROCESSES

NEUTRALIZATION OF ACIDIC METABOLIC WASTES

(carbon dioxide, fatty acids, amino acids, ketonic acids)
to eliminate them through the intestine and skin,
thanks to renal and respiration functions

pH ACID EXCESSIVE ACCUMULATION OF ACIDIC METABOLIC WASTES

in the extracellular matrix of connective tissues

ACTIVATION OF COMPENSATION MECHANISMS

depleting physiological mineral salt reserves

Mineral depletion status due to hyperacidification

ACIDOSIS

MANIFESTATION OF CHRONIC DISEASES DUE TO TISSUE DEGENERATION

- allergies
- phlogistic processes of the mucous membranes
- muscular-tendinous, cartilaginous and articular diseases
- rheumatism
- bone fragility (osteoporosis)
- cutaneous adnexa fragility
- concentration deficit
- chronic fatigue
- frequent neuralgia
- chronic conjunctivitis
- caries
- heartburn/gastric hyperacidity

pH REBALANCING

INTERVENING ON EATING BEHAVIOR

REDUCING ACIDOGENIC FOODS INTAKE
(such as animal proteins, animal fats, cereals, sweets, coffee, tea,
alcoholic beverages, chocolate)

TAKING ALKALIZING FOOD SUPPLEMENT



Specially formulated to promote physiological processes, thanks to its high Zinc content,
**CONTRIBUTES TO
THE BODY'S NORMAL
ACID-BASE METABOLISM**
helping to reduce demineralization due to tissue acidosis

**alkIMO®, DUE TO ITS PARTICULAR FORMULA BASED ON ALKALIZING
SALTS, IS A VALID HELP IN CASE OF:**

- ▶ Low body mineral reserves
- ▶ Chronic phlogistic and allergic manifestations
- ▶ Hyperacidity, heartburn
- ▶ Muscular, articular and rheumatic diseases
- ▶ Concentration difficulties
- ▶ Limited resistance to stress

alkIMO® HELPS NEUTRALISE EXCESS ACIDS
PREVENTING BUILD UPS AND RELATED CONSEQUENCES

alkIMO Triple choice for a physiological pH

Food supplement ZINC based with CALCIUM and MAGNESIUM, from alkalizing minerals

POWDER

- ▶ WIDE BIOAVAILABILITY
- ▶ SIMPLE TO DISSOLVE
- ▶ EASY TO TAKE
SUITED TO PEOPLE
WITH SWALLOWING DIFFICULTIES



MULTIDOSE JAR



FLEXIBLE DOSAGE

dosage tailorable to individual needs



SINGLE-DOSE SACHETS



POCKET SIZE – SINGLE DOSE

- ▶ Handy to have
- ▶ Ideal if out and about,
enables regular compliance



TABLETS, READY TO TAKE



- ▶ They just melt at the gastric level
- ▶ Determined dosage
- ▶ Practices to be taken and
to always carry with you

FAST DISOLVING COATING

↓
FLAVOURLESS ↓
ACTS WHERE
NEEDED

THREE OPTIONS = EQUIVALENT FORMULATION

Physiologically active ingredients:

Sodium bicarbonate
Potassium bicarbonate
Calcium carbonate
Magnesium hydroxide
Sodium citrate
Zinc gluconate

GLUTEN FREE
ALLERGEN FREE
SUGAR FREE
NO COLOURINGS
NO FLAVOURINGS
NO PRESERVATIVES

**SUITABLE FOR VEGETARIANS
AND VEGANS**

alkIMO **A complete proposal**

Food supplement

POWDER IN SINGLE-DOSE SACHETS



Box 30 x 5g sachets



POWDER IN JAR



150 g jar



TABLETS



Box of 100 coated tablets

Warnings

Do not exceed recommended daily dose.
Keep product out of reach of young children.
Supplements should not be used as a substitute for a varied diet and healthy lifestyle.
alkIMO powder formulations might not dissolve completely in water appearing as a cloudy suspension.
This does not affect the quality and properties of the product.

NUTRITIONAL INFORMATION, POWDER

	100 g	dose*	% NRV dose
Calcium	2400 mg	240 mg	30%
Magnesium	900 mg	90 mg	24%
Zinc	60 mg	6 mg	60%
Potassium	3198.4 mg	319.84 mg	16%
Sodium	22150 mg	2215 mg	—

*Daily recommended dose
2 teaspoons daily (1 teaspoon equals 5g)
%NRV= percentage Nutritional Reference Values (Reg. UE 1169/2011)

Instructions for use

Dissolve in a glass of water, 2 teaspoons or 2 sachets daily and drink slowly. Best taken far from meals, 1 teaspoon or 1 sachet 2 hours after lunch, 1 teaspoon or 1 sachet 2 hours after dinner.

NUTRITIONAL INFORMATION, TABLETS

	100 g	daily dose max 8 tabs	% daily NRV* per max dose
Calcium	5000 mg	240 mg	30%
Magnesium	1870 mg	90 mg	24%
Zinc	125 mg	6 mg	60%
Potassium	963 mg	47.6 mg	—
Sodium	7427 mg	367.2 mg	—

%NRV= percentage Nutritional Reference Values (Reg. UE 1169/2011)

Instructions for use

Take 3-4 tablets with a little water, 2 times a day.
2 hours after lunch and 2 hours after dinner.

REFERENCES: Adeva MM, Souto G. Diet-induced metabolic acidosis. Clin Nutr. 2011 Aug;30(4):416-21. Epub 2011 Apr 9. Crimi E, Taccone FS, Infante T, Scolletta S, Crudele V, Napoli C. Effects of intracellular acidosis on endothelial function: An overview. J Crit Care. 2011 Jul 26. [Epub ahead of print] Hjelmeland AB, Wu Q, Heddleston JM, Choudhary GS, MacSwords J, Lathia JD, McLendon R, Lindner D, Sloan A, Rich JN. Acidic stress promotes glioma stem cell phenotype. Cell Death Differ. 2011 May;18(5):829-40. Epub 2010 Dec 3. Jehle S, Krapf R. Effects of acidogenic diet forms on musculoskeletal function. J Nephrol. 2010 Nov-Dec;23 Suppl 16:S77-84. Lazzeri C, Valente S, Chiostrì M, Picariello C, Gensini GF. Acid-base imbalance in uncomplicated ST-elevation myocardial infarction: the clinical role of tissue acidosis. Intern Emerg Med. 2010 Feb;5(1):61-6. Epub 2009 Dec 9. Souto G, Donapetry C, Calviño J, Adeva MM. Metabolic acidosis-induced insulin resistance and cardiovascular risk. Metab Syndr Relat Disord. 2011 Aug;9(4):247-53. doi: 10.1089/met.2010.0108. Epub 2011 Feb 25. Vaupel P. Metabolic microenvironment of tumor cells: a key factor in malignant progression. Exp Oncol. 2010 Sep;32(3):125-7. Wiederkehr M, Krapf R. Metabolic and endocrine effects of metabolic acidosis in humans. Swiss Med Wkly. 2001 Mar 10;131(9-10):127-32. Wynn E, Krieg MA, Lanham-New SA, Burckhardt P. Postgraduate Symposium: Positive influence of nutritional alkalinity on bone health. Proc Nutr Soc. 2010 Feb;69(1):166-73. Epub 2009 Dec 3. Wynn E, Krieg MA, Aeschlimann JM, Burckhardt P. Alkaline mineral water lowers bone resorption even in calcium sufficiency: alkaline mineral water and bone metabolism. Bone. 2009 Jan;44(1):120-4. Epub 2008 Sep 26.